

PR◀AIM

Camtree Gripper G-10 Car Suction Mount (C-G-10-BG)



All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.



Suction Cup Gripper



3 x 450mm Rods



Safety Cable



4 x 300mm Rods



3 x Baby Pin Rods



Locking Adapter



Cup Adapter



**Camera Platform
with 3 x 110mm Rods**



Suction Cup Dust Cover



3 x Mounting Clamp



6 X Hex Knob



4 x Bolts (1/4"X 12)



3 x Bolts (1/4"X12)




**2 x L-Type Allen key
4mm & 3/16**



4 X Washer



5 x Universal Joint Clamp



Grey Plate with Fabric



Bag With Strap

INDEX

Sr. No	Particulars	Page No.
1.	Assembly Gripper G- 10 Car Suction Mount	4
2.	Assembly Mounting Clamp	7
3.	Grey plate Steps	7-9
4.	Final Setup	9

■ Assembly Gripper G- 10 Car Suction Mount

- Select a clean, smooth surface for attaching the suction cup.



- Place the suction cup firmly and lock the lever.



- Insert the Baby Pin Rod into the Suction Cup Gripper.



- Tighten the suction cup knob securely.
- Repeat the above steps to install all three suction cup grippers.



- Loosen the Universal Joint Clamp and attach it to the Baby Pin Rod.



- Insert a 450mm rod into the Universal Joint Clamp.



- Tighten the clamp knob firmly to lock the rod in place.
- Insert the bolt into the baby pin rod.



- Tighten the bolt using a 3/16" Allen key.



- Repeat the same process for all three rod sections, as shown.



- Attach another Universal Joint Clamp onto the 450mm rods and tighten it.



- Use the same configuration for all three Universal Joint Clamps.



- Mount the Camera Platform onto the Universal Joint Clamp and tighten the knob.



- Tighten all three knobs and mount the fluid head (Not Included).



- Insert the knob into the fluid head and tighten.



- Loosen the fluid head plate knob to remove the plate.



- Mount the camera (Not Included) onto the fluid head.



- Secure it by tightening the fluid head knob.



■ Assembly Mounting Clamp

Note: The mounting clamp allows the Gripper G-10 to be attached to any square corner or rounded edge surface. Follow the sequence below for assembly:

- Attach mounting clamp to your car door and tighten securely.




- Remove one 450mm rod setup, insert the mounting clamp rod into the joint clamp, and tighten. Mount your camera and secure it with the locking adapter.



■ Grey Plate Setup

Note: Use the fabric cloth to provide a non-slip and stable base for the metal plate.


- Insert all three bolts into the grey plate.



- Tighten the bolts using a 4mm Allen key.
- Mount the Camera Platform onto the grey plate.



- Place the cup adapter onto the Camera Platform.



- Tighten both bolts using a 3/16" Allen key.



- Place the fluid head onto the camera plate.



- Tighten the knob of the fluid head.



- Loosen the knob of the fluid head and remove the plate.



- Place the camera onto the fluid head.



- Tighten the fluid head knob to secure the camera.



- Place the entire setup on the grey fabric.



- Your setup is now ready.



**YOUR PROAIM CAMTREE GRIPPER G-10 CAR SUCTION MOUNT
ALL DRESSED UP AND READY TO GO!**



(SHOWN WITH OPTIONAL ACCESSORIES)

Warranty: We offer a one-year warranty on our products from the date of purchase. During this period, we will repair the product free of charge for labor or parts. The warranty does not cover transportation costs or products that have been misused or accidentally damaged. All warranty repairs are subject to inspection and evaluation by our team.

Liability: We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

Contact Us: In case of any kind of dissatisfaction, please contact us immediately and we promise our utmost support and care until you use our product.